

Loxwood Parish Council Register of Actions Arising From Parish Council Meetings

Date of Minutes	Minute ref	Action	In Progress comments	Completed
Jan 2022	08/2022	Brewhurst Bridge Safety	WSSC to be asked to write to Landowner.	WSSC confirm they will contact Landowner re the safety of the Bridge. WSSC in communication with Landowner. WSSC Janet Duncton to chase the officer D Hobden. WSSC has not yet had any success in getting the work done by the owner. WSSC in contact with the owner and WSSC are pricing the works for a solution. Costs estimated £20 to £25k Funding to be discussed on the Feb agenda. PC not willing to fund.
May 2022	84/2022	Block Paving responses by other Parishes Burley Close mirror	Clerk to write to consultant for his comments also to chase WSSC response and costings	Costings received WSSC response still awaited. WSSC have replied and some changes to be made. Awaiting changes from Consultants. Updated plans received and a zoom meeting to be arranged to go through the plans with the consultant. ACTION Meeting held 28 th Nov. WSSC are still to approve the revised plans and Consultant to obtain approved Traffic Calming plans from Thakeham.
Nov 22	163/2022	Kirdford PC to be asked as to outcome re their complaint with regard to consistent approach re water neutrality and planning applications.	Kirdford PC have sent in a letter but no reply to date.	
Nov 22	170/2022	Thakeham Site	Surface water drainage	Email to sent J Bushell Planning Officer re pre occupation conditions as circulated to councillors. No response although some decision documents now on website.

Loxwood Parish Council Register of Actions Arising From Parish Council Meetings

				Nigel Simmonds is in touch with WSCC Duncan Kier re surface water issues. 1m bund to top of pond not constructed.RK to contact NS
Dec 22	187/22	Sewerage storage	Meeting to be organised with WSCC and SW and NE Parishes	Parishes have been canvassed for interest. Kirdford, Plaistow and Wisborough Green are interested. WSCC JD awaiting dates from SW. JD awaiting dates.
Jan 23	14/23	Letter to CDC and Ofwat re sewerage temporary solutions	TC to draft with NS	Sent 6/2/23 Reply from CDC acknowledgement from Ofwat.